

CULAR ACCESS ACCESS ACCESS ACLAR IMPLANTABLE DOrts

hubsite

Easy to dress & comfortable to wear



hubsite

Flexible polyurethane extension tube with clamp

Huber bevel needle

Vygon's Huber bevel needle hub**site** is designed to be very flat. It is easy to dress for the nurse and comfortable to wear for the patient.

The needle bevel is designed to further **reduce the risk of septum coring** thanks to a **unique sand blasting technique** of the bevel heel edge, which eliminates the risk of sharp burrs.



hubsite is a CT-rated Huber bevel needle, pressure resistance max. 350psi / 24.1 bar.

Huber bevel needle curved to 90°

autoflush and hubsite



- auto**flush** is a closed needleless device allowing blood samplings, intermittent injection or continuous infusion of fluids or drugs.
- Using auto**flush** with Hubsite eliminates any blood reflux into the catheter lumen, preventing catheter occlusion.
- auto**flush** provides a 0.03 ml positive displacement of IV solution when the syringe or infusion line is disconnected.

Ordering Information

hub**site** is available either with a straight extension line or with lateral port and auto**flush**.

hub site	hub site with lateral port and autoflush	Length (mm)	External Ø (mm)	G	Hub colour
1239.715	1251.715	15	0.7	22	•
1239.720	1251.720	20	0.7	22	•
1239.725	1251.725	25	0.7	22	•
1239.730	1251.730	30	0.7	22	•
1239.915	1251.915	15	0.9	20	•
1239.920	1251.920	20	0.9	20	•
1239.925	1251.925	25	0.9	20	•
1239.930	1251.930	30	0.9	20	•
1239.115	1251.115	15	1.0	19	•
1239.120	1251.120	20	1.0	19	•
1239.125	1251.125	25	1.0	19	٠
1239.130	1251.130	30	1.0	19	•

INTRAVASCULAR THERAPIES

For further information, please contact: questions@vygon.com

The specifications given in this brochure are for information only and are not, under any circumstances, of a contractual nature.

Vygon – 5, rue Adeline • 95440 ECOUEN • FRANCE Reception: +33 (0)1.39.92.63.63 – Service clients France: +33 (0)1.39.92.63.81 Export customer service: +33 (0)1.39.92.64.15 Fax: +33 (0)1.39.92.64.44 • www.vygon.com

